# Peer Support Around Family Matters

Anjana Muralidharan, Ph.D. and Tracy Robertson, B.S., C.P.R.S.

6/27/19

### The Presenters



Anjana Muralidharan



Tracy Robertson

# Acknowledgement




Shirley D. Maniece, C.P.S.

#### Outline

- Family and Mental Health Recovery An Overview of the Research
- VA Family-Based Interventions, Programs, Resources
- Family Involvement in Treatment
- Shared Decision Making Protocol for Family Involvement in Treatment
- Family and the Role of the Peer Support Specialist
- Family Matters Manual

# What is family?

- Research often emphasizes the role of immediate family – parents, spouses, children
- BUT family can be any social support that a person chooses







# An Overly Negative Focus

- Psychology research on family and mental illness has tended to focus on the negative
- History of family blaming in our field
- Family does not cause mental illness!

# Family and Mental Health Recovery

- Family can have negative impacts on mental health recovery by\*:
  - Being overly critical and hostile
  - Being overly intrusive and controlling
  - Blaming the person for their problems

Hooley et al., 2007

\*based mostly on research in Western cultures with White individuals – research with African Americans, Mexican Americans, South Asians living in the UK, and research in non-Western countries show more inconsistent findings

Hashemi, 1997; Bhugra et al., 2003; Rosenfarb et al., 2006; Lopez et al., 2004

# Family members may be in distress

- Having a close relative with mental illness can have negative effects on
  - Mental health
  - Self-care
  - Physical health
  - Family functioning
  - Self-esteem



Perlick et al., 2006; Perlick et al., 2007

# Family and Mental Health Recovery

- Family can have positive impacts on mental health recovery by:
  - Being warm and kind
  - Being calm, hopeful, and optimistic
  - Providing a source of social support

Hooley et al., 2007; Lopez et al., 2004; Corrigan & Phelan, 2004

# Family as a Source of Social Support

 Larger and more satisfying social networks are associated with more positive mental health recovery

Corrigan & Phelan, 2004

- Four types of social support:
  - Emotional
  - Instrumental/tangible
  - Informational
  - Esteem/appraisal


# Types of Social Support

Example: A 39-year-old graduate student and mother of 2 young children is feeling overwhelmed after being diagnosed with bipolar I disorder.

9									
Types of Social Support									
	Construct	Definition	Application						
	Emotional	Expressions of empathy, love, trust and caring	Close friends and family members provide hope and a listening ear						
/	Instrumental/tangible	Tangible aid and service	Her husband decides to work from home 1 day per week to watch the children while she attends therapy						
	Informational	Advice, suggestions, and information	Her mother offers advice about her own mental health treatment						
	Esteem/Appraisal	Information that is useful for self-evaluation	A close friend of 15 years reminds her of all of the qualities that equip her to cope with her illness (to encourage an accurate assessment of her current situation)						

Adapted from: <a href="https://www.med.upenn.edu/hbhe4/part3-ch9-key-constructs-social-support.shtml">https://www.med.upenn.edu/hbhe4/part3-ch9-key-constructs-social-support.shtml</a>

# How does social support impact outcomes?



#### Outline

- Family and Mental Health Recovery An Overview of the Research
- VA Family-Based Interventions, Programs, Resources
- Family Involvement in Mental Health Treatment
- Shared Decision Making Protocol for Family Involvement in Treatment
- Family and the Role of the Peer Support Specialist
- Family Matters Manual

### VA Family-Based Interventions

- Family Consultation
- Evidence-Based Treatments
  - Behavioral Family Therapy for Serious Psychiatric Disorders
  - Integrative Behavioral Couples Therapy
  - Cognitive Behavioral Conjoint Therapy for PTSD
  - Behavioral Couples Therapy for Substance Use Disorder
  - Family Education
    - Operation Enduring Families
    - Support and Family Education (SAFE)
    - VA-NAMI Family to Family Partnership

For more information see the VA Family Services SharePoint: <a href="https://vaww.portal.va.gov/sites/OMHS/familyservices/default.aspx">https://vaww.portal.va.gov/sites/OMHS/familyservices/default.aspx</a>

# Behavioral Family Therapy for Serious Psychiatric Disorders

- Designed for a person with schizophrenia, bipolar disorder, or severe depression and one or more family members
- One family meets with a licensed provider
- 20-25 sessions over nine months
- Present focused
- Provides education, skills training in communication and problem solving
- Can reduce relapse rates by 50%!

McFarlane et al., 2003

### VA Family-Based Interventions

- Family Consultation
- Evidence-Based Treatments
  - Behavioral Family Therapy for Serious Psychiatric Disorders
  - Integrative Behavioral Couples Therapy
  - Cognitive Behavioral Conjoint Therapy for PTSD
  - Behavioral Couples Therapy for Substance Use Disorder
  - Family Education
    - Operation Enduring Families
    - Support and Family Education (SAFE)
    - VA-NAMI Family to Family Partnership

For more information see the VA Family Services SharePoint: <a href="https://vaww.portal.va.gov/sites/OMHS/familyservices/default.aspx">https://vaww.portal.va.gov/sites/OMHS/familyservices/default.aspx</a>

# NAMI Family-to-Family Education Program

- 12-week group for family members
- Developed by a family member of a person with mental illness (Joyce Burland)
- Taught by trained family members
- Based on trauma-recovery and stresscoping models
- People who take the course can become teachers of the course

# NAMI Family-to-Family Education Program

- Randomized controlled trial compared Family-to-Family to a wait list control
- Family-to-Family associated with significant lasting improvements in:
  - distress
  - problem solving
  - coping
  - knowledge
  - empowerment

...for family members

Lucksted et al., 2013

### Resources for Parenting

Parenting for Service Members and Veterans Free online course with videos and interactive content:

http://www.veterantraining.va.gov/parenting

Parenting Skills Training in Affective and Interpersonal Regulation (STAIR)
Licensed clinicians can be trained in STAIR
Teaches Veterans emotional and interpersonal skills for parenting

For more information see the VA Family Services SharePoint: <a href="https://vaww.portal.va.gov/sites/OMHS/familyservices/default.aspx">https://vaww.portal.va.gov/sites/OMHS/familyservices/default.aspx</a>

#### NATIONAL VA RESOURCES

#### Coaching Into Care

A national hotline that provides information about how to motivate your loved one to seek care at 1-888-823-7458

http://www.mirecc.va.gov/coaching

#### Caregiver Support Line

A national hotline that provides information about caregiver support services you may be eligible for at 1-855-260-3274 http://www.caregiver.va.gov

For more information see the VA Family Services SharePoint: https://vaww.portal.va.gov/sites/OMHS/familyservices/default.aspx

### Vet Centers

https://www.vetcenter.va.gov/

Offer marriage and family counseling

#### Outline

- Family and Mental Health Recovery An Overview of the Research
- VA Family-Based Interventions and Programs
- Family Involvement in Mental Health Treatment
- Shared Decision Making Protocol for Family Involvement in Treatment
- Family and the Role of the Peer Support Specialist
- Family Matters Manual

# Family Involvement in Treatment for Serious Psychiatric Disorders

- Best Practice:
  - Individuals who have ongoing contact with their families should be offered a family psychosocial intervention, such as Behavioral Family Therapy
- Even modest family involvement in treatment associated with better treatment engagement
- Family involvement correlated with three domains of recovery: empowerment, hope, and knowledge of illness

McFarlane et al., 2000; Resnick et al., 2004; Dixon et al., 2009

### Preferences for Family Involvement

- In a sample of 801 Veterans with schizophrenia:
  - ► 89.4% had a living family member
  - 61.9% had a family members who provided them with regular support
    - 27.2% of these wanted their family member involved in their care
  - Of those who did not have a supportive family member, but had living family, 21.0% wanted their family involved
- Barriers: concerns about privacy and burden
- Preferred methods of involvement: contact with the patient's psychiatrist and education about the illness

Cohen et al., 2019

### Preferences for Family Involvement

Table 2

Consumer preferences and expectations regarding family involvement in care

		Agree		Strongly agree	
Item	N	N	%	N	%
"I want my family to"					
Receive written information about my mental					
illness	228	85	$37^{a}$	56	25
Attend a general or educational support group	221	80	36ª	43	20
Attend individual or group sessions	222	85	38ª	29	13
Call my team if they are concerned or have					
a question	228	114	$50^{a}$	48	21

Cohen et al., 2013

## Family Member Preferences

- Family member preferences (n=75)
  - 91% want to receive written information about veteran's mental illness
  - 79% want to attend a general or educational support group
  - 68% want to attend individual or group sessions
  - 91% want to call treatment team if concerned or have a question

Cohen et al., 2013

# Recovery-Oriented Decision Support for Relatives (REORDER)

- Tested a shared decision-making (SDM) intervention to increase family involvement in mental health treatment
- Recruited Veterans with SMI without family involvement in care
- Op to three sessions with Veteran
- Up to three sessions with Veteran and family member



### REORDER Outcomes

59% of Veterans who attended at least one REORDER session had at least one family REORDER session




Dixon et al., 2014

#### Outline


- Family and Mental Health Recovery An Overview of the Research
- VA Family-Based Interventions, Programs, Resources
- Family Involvement in Treatment
- Shared Decision Making Protocol for Family Involvement in Treatment
- Family and the Role of the Peer Support Specialist
- Family Matters Manual

# Shared Decision-Making for Family Involvement in Treatment (SDM-FIT)

- Stand-alone protocol for use by any provider
- Provides structure for 20-30 minute discussion about family involvement in mental health treatment
- Download the manual on the <u>VISN 5 MIRECC</u> website



#### Introducing the Guide




Introduce the guide as follows:

"This guide will help us have a discussion about whether you would like to have your family involved in your mental health treatment. Whether and how you choose to involve your family in treatment is completely up to you. This guide and discussion will help you make an informed decision, and will help us make a plan to put your decision into action."

#### **Assessment of the Social Network**


- Read, or have the Veteran read, the text on the page aloud.
- Probe about important individuals in the person's social network – including all the relationships listed.






#### **Assessment of Benefits of Family Involvement**

- Read, or have the Veteran read, the text on the page aloud.
- Probe about benefits of family involvement for the Veteran.





#### Assessment of Concerns about Family Involvement

- Read, or have the Veteran read, the text on the page aloud.
- Probe about concerns regarding family involvement for the Veteran.

Clinician Tip #1:

If the Veteran has a lot of concerns, respond with:

"It sounds like you have a lot of concerns. It's completely up to you whether to have them involved.

Before you decide, let's talk about the options for family involvement."



Clinician Tip #2:

If the Veteran cites privacy as a concern, respond with:


"Confidentiality is very important.

We can't share any information with your family without your permission. We will definitely talk more about it later in this discussion. Before that, let's talk about the options for family involvement."

#### **Assessment of Preferences for Family Involvement**

- Read, or have the Veteran read, the text on the page aloud.
- Identify family member(s) that the Veteran would like to be involved.
- Identify preferred options for involvement.






#### **Discussion of Confidentiality**

- Read, or have the Veteran read the text on the page aloud.
- For each family member that the Veteran would like to be involved, discuss what information can/cannot be shared with him/her.
- Answer any questions the veteran has about confidentiality.
- If within your professional purview/ scope, complete the relevant Release of Information forms.

What can your treatment team communicate about you to your family members?  our confidentiality is very important. Your treatment team connot discuss your need illiness and treatment with your family without your permission.  Here are some examples of topics your treatment team could discuss with your family members, with your permission:  Information about your diagnosis  Information about your diagnosis  Information about your appointments and attendance  Information about your appointments and attendance  Information about your appointments and attendance  Information about your diagnosis  Information about your diagnosis  Information about your appointments and attendance  Information about the signs they can lines fix to sae it you are doing better or voyase.  What can your treatment team share  What can your treatment team share  with your family members?		Specific	Marine (200)
our confidentiality is very important. Your treatment team cannot discuss your needs illiness and treatment with your family without your permission.  Here are some examples of topics your treatment team could discuss with your family members, with your permission:  • Information about your diagnosis  • Information about your diagnosis  • Information about your appointments and attendance  • aldormation about what it reservices out  • Information about their they can support you  • Information about their they can support you  • Information about their states they can light for to see it you are doing better or worse.  What can your treatment team share • What can your treatment team NO	Wha	at can your treatme	ent team communicate
our confidentiality is very important. Your treatment team cannot discuss your needs illiness and treatment with your family without your permission.  Here are some examples of topics your treatment team could discuss with your family members, with your permission:  • Information about your diagnosis  • Information about your diagnosis  • Information about your appointments and attendance  • aldormation about what it reservices out  • Information about their they can support you  • Information about their they can support you  • Information about their states they can light for to see it you are doing better or worse.  What can your treatment team share • What can your treatment team NO		about you to your	family members?
Here are some examples of topics your treatment teem could discuss with your family members, with your permission:  - Information about your diagnosis - Information about your appointments and attendance - information about your appointments and attendance - information about what it means you cut - Information about the with your on propert you - Information about the signs they can inpict for to see it you are doing better or worse.  What can your treatment team share   What can your treatment team NO	laur confli		
team could discuss with your family members, with your permission:  • Information about your diagnosis  • Information about your appointments and attendance  • Information about your appointments and attendance  • Information about their streams you out  • Information about their streams you out  • Information about the signs they can lipid for to san it you are doing better or worse  What can your treatment team share: What can your treatment team NO			
team could discuss with your family members, with your permission:  • Information about your diagnosis  • Information about your appointments and attendance  • Information about your appointments and attendance  • Information about their streams you out  • Information about their streams you out  • Information about the signs they can lipid for to san it you are doing better or worse  What can your treatment team share: What can your treatment team NO			
your permission:  Information about your diagnosis  Information about your appointments and attendance  Information about your appointments and attendance  Information about what sit ease you out  Information about the signs they can inport you  Information about the signs they can inport for to see it you are doing better or worse.  What can your treatment team share What can your treatment team NO			
Information about your diagnosis     Information about your medications     Information about your appointments and attendance     Information about what sit exists you tust     Information about bow they can support you     Information about the signs they can liquid to to see it you are doing better or worse.  What can your treatment team share		And the second s	our family members, with
Information about your ynedications Information about your appointments and attendance Information about what sit exists you tue Information about blow they can support you Information about the signs they can liquid for to see if you are doing better or worse.  What can your treatment team share What can your treatment team share What can your treatment team share			
Information about your appointments and attendance     wide metion about what it reases you out     Information about his viting can support you     Information about the signs they can lipide for to see it you are doing better or worse.  What can your treatment team share:     What can your treatment team share.		The second secon	
** information about what sit wass you tout     ** Information about how they can support you     ** Information about they signs they can light for to sae it you     ** are doing better or worse  What can your breatment team share:       ** What can your breatment team NO**			
Information about the signs they can look for to see it you are doing better or worse.  What can your treatment team share. What can your treatment team NO.			
are duling better or worse.  What can your breatment team share: What can your breatment team NO			
What can your treatment team share What can your treatment team NO			The state of the s
		are doing better or worse	
with your family members?			What can your treatment team NOT
		your family members?	share with your family members?



### VA Policy Guidance: Confidentiality

- Can't share info with family members without Veteran permission
- BUT family members are allowed to share whatever they want with us!
- AND there are exceptions to the need for written permission. From VHA Handbook 1163.04:

"VA Policy... permits sharing of pertinent information... with family members, even if permission from the Veteran is not obtained under two conditions: (1) The caregiver/family member is involved in the Veteran's personal care; and (2) The clinician deems it would be in the best interest of the Veteran to share the information with the caregiver."

### VA Policy Guidance

https://vaww.portal.va.gov/sites/OMHS/familyservices/Lists/Policy/AllItems.aspx

https://www.va.gov/vhapublications/ViewPublication.asp?pub\_ID=2429

#### **Action Plan**

Record a concrete ACTION PLAN with all the relevant information needed to carry out the plan.

Clinician's Guide

 Action plan can include referrals to Family Intervention Team as appropriate - clinician can place consult in CPRS.



#### Examples include:

- "Wife to attend session with psychiatrist. Wife- Jane Doe, 555-5555"
- "Treatment team to mail educational materials to Veteran's brother. Brother-John Doe, 1234 Anywhere Street, Anytown, USA"
- "Treatment team to provide NAMI brochures to Veteran to give to his mother and close friend"
- "Veteran to provide contact information for social worker to his son"

### Outline

- Family and Mental Health Recovery An Overview of the Research
- VA Family-Based Interventions and Programs
- Family Involvement in Mental Health Treatment
- Shared Decision Making Protocol for Family Involvement in Treatment
- Family and the Role of the Peer Support Specialist
- Family Matters Manual

### The Role of the Peer Specialist

 To help people define what family is to them – not just blood relatives.

To educate people about how family can be supportive.

To educate people about the importance of having support and building a support system.

### The Role of the Peer Specialist

To educate about how different people can offer different kinds of support.

To encourage people to use their supports.

# The Family Matters Group

Manual for Peer Facilitators

# What is the Family Matters Group?

- Interactive group
- Safe, non-judgmental space
- Discuss the potential role of family in the mental health recovery process
- Group members are provided brief fictional scenarios
- Group members discuss the pros and cons of various options for the person

### <u>Development of the Family</u> <u>Matters Group</u>

- Shirley Maniece, C.P.S., created this group as a personal endeavor
- Ms. Maniece was influenced by the National Alliance of Mental Illness (NAMI) Family to Family Program
- Was also influenced by her participation in a clinical demonstration project with Dr. Anjana Muralidharan
- They worked together to implement a shareddecision making tool regarding family involvement

# Family Matters Group Objectives

- Educate participants on opportunities for family support in the VA system
- Assisting in providing how each individual defines family
- Provide a space to discuss various topics related to family and mental health recovery
- Communication dynamics and the time and timing to connect with family
- When is a good time to share your mental health status with family members

# Family Matters Group Agenda

- Set Group Guidelines (5 minutes)
- Definition of Family (5 minutes)
- Discussion of VA Resources for Family Members (5 minutes)
- General Discussion of Family and Recovery (10 minutes)
- Family Matters Interactive Game (25 minutes)

### General Discussion of Family and Recovery (10 minutes)

- The group facilitator poses the following questions to the group, to generate discussion.
  - 1. How has family impacted your recovery journey?
  - 2. When was the last time you shared a positive experience with family?
  - 3. What positive feelings have you experienced while on your recovery journey?
  - 4. What can you do alone while on your recovery journey?

### Definition of Family (5 minutes)

- Many times an automatic response to the word family is only thought of as one's bloodline.
- Family can be bloodline or anyone not in the bloodline, who is deemed to be family.
- Family can be anyone who shares a meaningful close relationship with the individual.
- This may help group members to think through various sources of social support.

### Family Matters Interactive Game (25 minutes)

- After the discussion of family and recovery, group members engage in an interactive game that introduces various mental health scenarios.
- The scenarios and corresponding solution options are typed on index cards.
- Group members volunteer to read aloud their scenario and the possible solution options.
- This is designed to encourage discussion, evoke change, and build supportive decisions

### Scenario #1

- Marvin really wants to invite his brother to attend his therapy session appointment at the mental health clinic. However, Marvin is nervous and thinks that his brother will share things that his doctor doesn't know.
  - ▶ What could Marvin do?
  - A. Don't invite his brother.
  - B. Tell his brother not to do any talking, just listen.
  - C. Be prepared for whatever his brother has to say.
  - D. Stop going to the mental health clinic.

### Scenario #2

- Kate has been self-medicating and now she has been confronted by her partner. Kate is not ready to share the trauma she experienced while in the military. Kate's partner is a civilian and knows nothing about the military. Kate is leaving soon for the residential PTSD program.
  - ► What could Kate do?
  - A. Avoid answering her partner but later on, write her story down in a letter and give it to her partner before leaving for the program.
  - B. Tell her partner, "You wouldn't understand."
  - C. Share only what she is emotionally ready to share.
  - D. Provide her partner with brochures and information on PTSD and family support groups.

### Outline

- Family and Mental Health Recovery An Overview of the Research
- VA Family-Based Interventions and Programs
- Family Involvement in Mental Health Treatment
- Shared Decision Making Protocol for Family Involvement in Treatment
- Family and the Role of the Peer Support Specialist
- Family Matters Manual

### Potential Next Steps for You

Visit the VA Family Services Sharepoint for more information

https://vaww.portal.va.gov/sites/OMHS/familyservices/default.aspx

- Check out what family supports your local NAMI chapter offers
- Ask your local EBP coordinator which clinicians are trained in evidence-based family treatments at your facility
- Create your own VA Family Resources for Mental Health Recovery brochure – we can help you tailor the brochure to reflect your local resources!
- Download and utilize the <u>Shared Decision Making</u> <u>Protocol for Family Involvement in Treatment OR</u> the <u>Family Matters Group</u> and let us know how it goes!
- Contact us with all your thoughts questions and concerns!

### Contact information

Anjana Muralidharan, Ph.D.
Psychologist Clinician Investigator
anjana.muralidharan2@va.gov

Tracy Robertson, B.S., C.P.R.S.

Certified Peer Recovery Specialist

<u>Tracy.Robertson@va.gov</u>





#### References

Bhugra, D., & McKenzie, K. (2003). Expressed emotion across cultures. Advances in Psychiatric Treatment, 9(5), 342-348.

Cohen, A. N., Drapalski, A. L., Glynn, S. M., Medoff, D., Fang, L. J., & Dixon, L. B. (2013). Preferences for family involvement in care among consumers with serious mental illness. *Psychiatric Services*, 64(3), 257-263.

Cohen, A. N., Pedersen, E. R., Glynn, S. M., Hamilton, A. B., McNagny, K. P., Reist, C., ... & Young, A. S. (2019). Preferences for family involvement among veterans in treatment for schizophrenia. Psychiatric rehabilitation journal.

Cohen, S., & Wills, T. A. (1985). Stress, social support, and the buffering hypothesis. *Psychological bulletin*, 98(2), 310.

Corrigan, P. W., & Phelan, S. M. (2004). Social support and recovery in people with serious mental illnesses. Community mental health journal, 40(6), 513-523.

Dixon, L. B., Dickerson, F., Bellack, A. S., Bennett, M., Dickinson, D., Goldberg, R. W., ... & Peer, J. (2009). The 2009 schizophrenia PORT psychosocial treatment recommendations and summary statements. Schizophrenia bulletin, 36(1), 48-70.

Dixon, L. B., Glynn, S. M., Cohen, A. N., Drapalski, A. L., Medoff, D., Fang, L. J., ... & Gioia, D. (2014). Outcomes of a brief program, REORDER, to promote consumer recovery and family involvement in care. *Psychiatric Services*, 65(1), 116-120.

Hashemi, A. H. (1997). Schizophrenia, expressed emotion and ethnicity: a British Asian study (Doctoral dissertation, University of Birmingham)

#### References

Hooley, J. M. (2007). Expressed emotion and relapse of psychopathology. Annu. Rev. Clin. Psychol., 3, 329-352.

López, S. R., Nelson Hipke, K., Polo, A. J., Jenkins, J. H., Karno, M., Vaughn, C., & Snyder, K. S. (2004). Ethnicity, expressed emotion, attributions, and course of schizophrenia: Family warmth matters. Journal of abnormal psychology, 113(3), 428.

McFarlane, W. R., Dixon, L., Lukens, E., Lucksted, A. (2003). Family psychoeducation and schizophrenia: a review of the literature. Journal of Marital and Family Therapy, 29(2), 223-245.

Perlick, D. A., Rosenheck, R. A., Kaczynski, R., Swartz, M. S., Cañive, J. M., & Lieberman, J. A. (2006). Special section on CATIE baseline data: components and correlates of family burden in schizophrenia. Psychiatric services, 57(8), 1117-1125.

Perlick, D. A., Rosenheck, R. A., Miklowitz, D. J., Chessick, C., Wolff, N., Kaczynski, R., ... & STEP-BD Family Experience Collaborative Study Group. (2007). Prevalence and correlates of burden among caregivers of patients with bipolar disorder enrolled in the Systematic Treatment Enhancement Program for Bipolar Disorder. Bipolar Disorders, 9(3), 262-273.

Rosenfarb, I. S., Bellack, A. S., & Aziz, N. (2006). Family interactions and the course of schizophrenia in African American and white patients. Journal of Abnormal Psychology, 115(1), 112.